

PrimeUp

SMALL ADJUSTABLE SUPPORTS 0.4" - 1"



**MINIMUM
HEIGHT**



**FOR PORCELAIN, CONCRETE,
STONE, AND OTHER UNIT
PAVING**

PRIMEUP IS THE HEIGHT-ADJUSTABLE SUPPORT MEASURING FROM 0.4". UTILIZING TO THE ADJUSTMENT MECHANISM AND THE COMBINATION OF 2 EXTENSIONS, CAN REACH 1" IN HEIGHT.

PrimeUP consists of a base with a 6" diameter featuring a tab fitted with the adjustment mechanism head. By holding the tab still and rotating the upper part, with the use of special teeth, one can adjust the height of the support between 10 and 15 mm.

The upper part of PrimeUP is coupled to a standard tile/paver headpiece, which is interchangeable with other headpieces specially designed for wooden decking or for the aluminum rail system

The headpiece is equipped with a coupling to ensure constant adjustment even with part of the flooring already laid. Also, below the support base, up to two extensions measuring 5 mm each can be added, thus increasing the height up to a total of 1". In conjunction with the extensions, it is possible to use EasyFlat, the Cityscape slope correctors, which correct slopes up to 10%.

PrimeUp Mini Pedestal Supports		
SKU	DESCRIPTION	PACK.
PU01	Mini Pedestal: 0.4" - 0.6"	20
PU02	Mini Pedestal: 0.6" - 0.8"	20
PU03	Mini Pedestal: 0.8" - 1"	20

CITYSCAPE

ARCHITECTURAL PRODUCTS



3 PRODUCTS - RANGE 0.4" - 1"



WEIGHT CAPACITY OF 882 LBS

- 1 MINIMUM HEIGHT OF 0.4"
- 2 WITH 2 EXTENSIONS IT REACHES 1"
- 3 INTERCHANGEABLE HEADPIECES



How is the PrimeUp Made?


HEAD - easily removeable to allow for interchangeability


SCREW - to allow for 5 mm height adjustment

BASE - base with handle tab to made it easy to hold when adjusting the height

PE05 - One PE05 is applied to the PU02 and two PE05s are applied to the PU03 to achieve the desired height

SC01 - slope correctors easily attach to the bottom to offset sloping. SC01 = 1%





**SIDE
VIEW**

Related Products



SC01 - 1% Slope Corrector



RL25 - Rubber Leveler



CL-W - Perimeter Spacer Clip